



Cole
8

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re U.S. Patent No. 6,990,749 B2

Inventor(s): Bruce Roesler, Lawrence A. Cook, Douglas G. Smith,
David J. Cole and Jeffrey C. Andrews

Serial No. 10/798,099

Examiner: Kenneth Rinehart

Issued: January 31, 2006

Group Art Unit: 3749

For: **MODULAR PAINT OVEN**

Commissioner for Patents & Trademarks
P.O. Box 1450
Alexandria, Virginia 22313-1450

Certificate
MAY 01 2006
of Correction

REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 C.F.R. 1.322

Dear Sir:

Transmitted herewith is a Certificate of Correction for U.S. Patent 6,990,749 B2 issued January 31, 2006. Upon reviewing the claims, the patentee noted that the following typographical errors were made, which should be corrected as follows:

Column 5, line 57, please insert a comma before "roof" and "side walls."

Column 6, line 56, please delete "stop" and insert --step--.

Column 7, line 10, please delete "fir" and insert --for--.

Column 7, line 22, please delete "arrive" and insert --arrived--.

Column 7, line 30, please delete "root" and insert --roof--.

Column 8, line 2, please delete "defined air ducts" and insert --defined as an air duct--.

Column 8, line 28, please delete "sick" and insert --side--.

Column 10, line 3, please delete "radian" and insert --radiant--.

Column 10, line 23, please delete "duds" and insert --ducts--.

MAY 02 2006


Although it is believed that no fee is due for the filing of this Request for Certificate of Correction because the errors were made by the Office, the Commissioner is authorized to charge our Deposit Account No. 08-2789 for any additional fees or credit the account for any overpayments regarding this document.

Enclosed is our check in the amount of \$100.00 as required for the filing of this Request for Certificate of Correction. If there are any additional fees due, the Commissioner is authorized to charge our Deposit Account for those additional fees or credit the account for any overpayments regarding this Request.

Respectfully submitted,

HOWARD & HOWARD ATTORNEYS, P.C.

April 21, 2006
Dated



Gregory D. DeGrazia
Registration No. 48,944
39400 Woodward Ave., Suite 101
Bloomfield Hills, MI 48304-5151
(248) 645-1483

CERTIFICATE OF MAILING

I hereby certify that the attached Request for Certificate of Correction is being deposited with the United States Postal Service as First Class Mail, postage prepaid, in an envelope addressed to Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450, on April 21, 2006.



Tracy L. Smith

G:\d\durr\indus\ip00143\patent\Request for Certificate of Correction 4-21-06.doc

MAY 02 2006

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Patent No.: 6,990,749
Dated: January 31, 2006
Inventor(s): Bruce Roesler, Lawrence A. Cook, Douglas G. Smith, David J. Cole
and Jeffrey C. Andrews

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 5, line 57, please insert a comma before "roof" and "side walls."

Column 6, line 56, please delete "stop" and insert --step--.

Column 7, line 10, please delete "fir" and insert --for--.

Column 7, line 22, please delete "arrive" and insert --arrived--.

Column 7, line 30, please delete "root" and insert --roof--.

Column 8, line 2, please delete "defined air ducts" and insert --defined as an air duct--.

Column 8, line 28, please delete "sick" and insert --side--.

Column 10, line 3, please delete "radian" and insert --radiant--.

Column 10, line 23, please delete "duds" and insert --ducts--.

Gregory D. DeGrazia
Howard & Howard Attorneys, P.C.
39400 Woodward Avenue, Suite 101
Bloomfield Hills, Michigan 48304-5151
(248) 645-1483

Patent No.: 6,990,749

No. of additional copies

⇒

Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comment on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, D.C. 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450.

MAY 02 2006